



**Alaska
Department of
Transportation
and
Public Facilities**

**Alaska
Sign Design
Specifications**

Contents

Section Name	Page or Section
Introduction	v
General Specifications	vii
Index to Sign Drawings by Sign Number	Isn-1 to Isn-15
Index to Sign Drawings by Sign Message	Im-1 to Im-15
Sign Drawings	
Civil Defense	CD-100
Construction Warning	CW1-1 to CW23-101
Destination Signs—Conventional Rds	D1-1 to D3-2RL
Parking Area	D4-1 to D4-100
Rest Area	D5-1 to D5-104
Recreation	D7-1 to D7-105
Weigh Station/Customs	D8-1 to D8-104
General Services	D9-1 to D9-308
Mile Posts	D10-1 to D10-103
Bike Route, Weather, Car Pool Info	D11-1 to D12-102
Destination Signs—Expwys&Fwys	E1-5 to E11-1
Construction Guide	G20-1 to G20-4
General Information	I-1 to I-181
Business LOGO	LG-C1 to LG-C3
Markers	M1-6 to M12-1
Object Markers	OM-1 to OM-4
Regulatory	R1-1 to R16-111
School	S1-1 to S6-1
Warning	W1-1 to W16-113
Appendix A: Sizing Directional Signs	A1-A5
Appendix B: Arrow Details	B1-B8
Appendix C: Letter and Space Widths	C1-C17

Introduction

The Alaska Sign Design Specifications (ASDS) contains size and layout information for approved highway signs. Use these specifications for all traffic signs on Alaska public roads. We recommend using them on private roads as well.

This publication is a supplement to the Alaska Traffic Manual (ATM), which specifies appropriate use and placement of traffic control devices, including signs.

The ASDS is intended to enhance road safety and operation by specifying uniform, understandable, and effective traffic signs for Alaska roads.

Related Documents

The ATM is comprised of the current Alaska Supplement, published by the Alaska Department of Transportation and Public Facilities (DOT&PF), and the Manual on Uniform Traffic Control Devices (MUTCD), published by the Federal Highway Administration. See the ATM for the version of the MUTCD that is currently effective in Alaska.

The Alaska DOT&PF Highway Preconstruction Manual contains additional information on sign supports and other items. It pertains to DOT&PF construction projects.

The 1998 DOT&PF Standard Specifications for Highway Construction contains descriptions, material requirements, and construction methods for traffic signs and other items. It pertains to DOT&PF construction projects.

The 1979 FHWA Standard Highway Signs (SHS) contains standard highway sign details adopted by the federal government. The ASDS, which includes many signs from the SHS, is the authoritative reference in Alaska and supersedes the SHS, with one exception. The SHS is the source for all civil defense signs that are not included in the ASDS.

Sign lettering shall conform to the Standard Alphabets for Highway Signs, 1966 Edition, or Standard Alphabets for Highway Signs and Pavement Markings, 1977 Metric Edition, both published by the FHWA.

Obtaining the ASDS and Related Documents

You may purchase documents published by the DOT&PF from the Alaska Department of Transportation and Public Facilities, 3132 Channel Drive, Room 115, Juneau, Alaska 99801 (907-465-2985). They are also available for free download at the DOT&PF Design and Construction Standards web site at:

<http://www.dot.state.ak.us/stwddes/dcs/pubs.html>

You may obtain the MUTCD and revisions from the Superintendent of Documents, U.S. Government Printing Office, P.O. Box 371954, Pittsburgh, PA 15250-7954, Stock No. 650-001-00001-0.

You may also purchase it on the web at

<http://mutcd.fhwa.dot.gov/ser-pubs.htm>.

You may obtain The Standard Highway Signs Book, Stock No. 950-044-00000-4, from the same physical and web addresses as the MUTCD.

For the Standard Alphabets for Highway Signs, 1966 Edition and Standard Alphabets for Highway Signs and Pavement Markings, 1977 Metric Edition, write to the Federal Highway Administration (FHWA), Office of Transportation Operations (HOTO), 400 7th Street, SW, Room 3416, Washington, DC 20590.

Note. These web addresses and references were current when the ASDS was published.

ASDS Revisions

We will periodically post revisions to this publication on the DOT&PF web site listed above. We will no longer mail a written notice of revisions. Manual holders are responsible for checking the website and keeping their manuals up to date.

Revisions to these specifications become effective on the date of web publication. That date is published on the bottom of each sign drawing. When traffic signs are installed under State contracts, the ASDS in effect as of the initial date of contract advertising shall apply, unless specified otherwise in contract documents.

Conformity with Standards

Signs on state-owned public streets and highways in Alaska shall conform to these specifications unless specifically exempted by the DOT&PF State Traffic Engineer. Signs on other public streets and highways shall conform unless conformance is not practicable. Sign supports shall be crashworthy (in conformance with the requirement of [National Highway Cooperative Research Program Report 350](#)) or located outside of the clear zone (as defined in the DOT&PF [Highway Preconstruction Manual](#)). Sign installations and usage shall conform to the ATM.

Sign Numbering

In many cases, sign numbers differ from those in the last published (1981) ASDS. Generally, the new numbers either correspond with those in the 2000 MUTCD or, if there are no corresponding signs, are high enough to not conflict with future additions to the MUTCD. Usually, signs used in Alaska but not shown in the MUTCD have a “-100” or higher suffix. Exceptions include D1, D2, D3 and E series signs where most of the 1981 numbers were retained because there is little overlap or conflict with the MUTCD.

Existing documents such as standard drawings, manuals, and policies may refer to signs by their old numbers. To provide a cross-reference, the old numbers are listed in the index and, when numbers have changed, on sign drawings.

Notes on Using the ASDS

In most cases, variable sign characters are shown as outlines. Exception: when it is obvious that characters are variable, as with destinations or street names, they are shown normally.

Sign drawings are ordered as shown in the Index. Because some pages have multiple signs, sign order does not always follow an exact alpha-numeric sequence. However, signs will always be within a few pages of being sequential.

Appendix for standard border dimensions.

If the border color is not defined on a sign drawing,
the border shall be the same color as the legend.

Tolerances

All dimensions given are assumed to have a tolerance of $\pm 1/16"$. However, if the standard product of a sign manufacturer presents essentially the desired format and varies from the dimensions given by less than 5%, the standard product will be considered in compliance with these specifications.

Illumination and Reflectorization

Unless otherwise noted, all traffic signs shall be reflectorized or illuminated to show the same shape and similar color day and night.

When signs are reflectorized, all colors except black shall be fabricated from retro-reflective material, unless otherwise noted.

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
CD-100	AK-CD-1A	TSUNAMI EVACUATION ROUTE (Symbol)
CW1-1		Arrow 90 Degree (Symbol)
CW1-2		Curve (Symbol)
CW1-3		Arrow 90 Degree (Symbol)
CW1-4		Reverse Curve (Symbol)
CW1-4B	None	Two Lane Curves Ahead (Symbol)
CW1-4C	None	Three Lane Curves Ahead (Symbol)
CW1-6		Large Arrow, One Way (Symbol)
CW1-8		Chevron (Symbol)
CW3-1A		Stop Ahead (Symbol)
CW3-2A		Yield Ahead (Symbol)
CW3-3	CW3-3B	Signal Ahead (Symbol)
CW3-3P	CW3-3B	NEW SIGNAL (Plate)
CW4-1		Merge (Symbol)
CW4-1A	None	THRU TRAFFIC MERGE LEFT
CW4-3	None	Added Lane (Single Through Lane) (Symbol)
CW5-1		ROAD NARROWS
CW5-2		NARROW BRIDGE
CW5-3		ONE LANE BRIDGE
CW5-4	None	RAMP NARROWS
CW6-1		Divided Highway Begins (Symbol)
CW6-2		Divided Highway Ends (Symbol)
CW6-3		Two Way Traffic (Symbol)
CW6-100	None	One Lane with 2 Advancing Lanes
CW7-1		Truck on Hill (Symbol)
CW8-1		BUMP
CW8-1A		BUMPS
CW8-2		DIP
CW8-2A		DIPS
CW8-3		PAVEMENT ENDS
CW8-4		SOFT SHOULDER
CW8-5		Road Slippery When Wet (Symbol)
CW8-5P		SLIPPERY WHEN WET (Plate)
CW8-6		TRUCK CROSSING
CW8-7		LOOSE GRAVEL
CW8-8		ROUGH ROAD
CW8-8A		ROAD DAMAGE
CW8-9		LOW SHOULDER
CW8-9B	CW8-10	NO SHOULDER

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
CW8-11		Uneven Lanes
CW8-12		NO CENTER STRIPE
CW9-1		RIGHT (LEFT) LANE ENDS
CW9-2	W9-2L	LANE ENDS MERGE LEFT (RIGHT)
CW12-1		Left/Right (Down Arrows) (Symbol)
CW12-2		Low Clearance Symbol (Two Arrows) (Symbol)
CW13-1		35 MPH (Advisory Speed Plate)
CW14-3		NO PASSING
CW20-3		ROAD CLOSED _____
CW20-4		ONE LANE ROAD _____
CW20-5	CW20-5RF	RIGHT LANE CLOSED _____
CW20-5A	None	RT. TWO LANES CLOSED _____
CW20-7		Flagger Sign (Symbol)
CW20-8		BE PREPARED TO STOP
CW20-100	CW21-4_	ROAD WORK _____
CW20-101	CW21-2_	DETOUR AHEAD _____
CW21-1A		Working Crew (Symbol)
CW21-2		FRESH OIL/TAR
CW21-3		ROAD MACHINERY _____
CW21-5		SHOULDER WORK
CW21-6		SURVEY CREW
CW21-7	None	UTILITY WORK _____
CW22-1	None	BLASTING ZONE AHEAD
CW22-2	None	TURN OFF 2-WAY RADIOS AND CELLULAR PHONES
CW22-3		END BLASTING ZONE
CW22-100	CW22-1	BLASTING ZONE 1000 FT
CW23-100F	CW23-1A	STOP-SLOW PADDLE (Front)
CW23-100B	CW23-1B	STOP-SLOW PADDLE (Back)
D1-1		One Line Destination & Arrow
D1-1A		One Line Destination, Arrow & Mileage
D1-100	None	Roundabout Destination
D1-2-1	D1-2	Two Line Destination & Arrow (destinations in same direction)
D1-2-2	D1-2	Two Line Destination & 2 Arrows (destinations in different directions)
D1-2A-1	D1-2A	Two Line Destination, Arrow & Mileage (destinations in same direction)
D1-2A-2	D1-2A	Two Line Destination, 2 Arrows & Mileage (destinations in different directions)
D1-3-2	D1-3	Three Line Destination & 2 Arrows (2 destinations in one direction, one in another)

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
D1-3-3	D1-3	Three Line Destination & 3 Arrows (All destinations in different directions)
D1-3A-2	D1-3A	Three Line Destination, 2 Arrows & Mileage (2 destinations in same direction, 1 in another)
D1-3A-3	D1-3A	Three Line Destination, 3 Arrows & Mileage (All destinations in different directions)
D2-1		One Line Destination & Mileage
D2-2		Two Line Destination & Mileage
D2-3		Three Line Destination & Mileage
D3-1		Street Name (small sign)
D3-1A		Street Name w Block Number (small sign)
D3-1B		One Line Overhead Street Name
D3-1C		Two Line Advance Street Name & Arrow
D3-1D	None	Street Name w Block Number (small sign)
D3-2		Advance Street Name (Arrow in one direction)
D3-2B	None	Two Line Overhead Street Name & Arrow
D3-2RL		Advance Street Name (Arrow in both directions)
D4-1		PARKING (Arrow)
D4-2		PARK & RIDE (car symbol)
D4-100	None	PARK & RIDE (car & bus symbol)
D5-1	None	REST AREA 2 MILES
D5-2	I-21	REST AREA (Arrow)
D5-100	None	NEXT REST AREA 44 MILES
D5-101	None	REST AREA NEXT RIGHT
D5-102	None	REST AREA
D5-103	None	1/4 MILE
D5-104	None	REST AREA (Arrow)
D7-1	D7-3	Three Line Rectangular Recreational Destination & Distance
D7-2	D7-2A	Two Line Trapezoidal Destination & Arrow
D7-100	None	RECREATION AREA NEXT RIGHT (symbol template)
D7-105	D7-4R	TRAIL of '98 (Arrow)
D7-RA Plates	None	"RA" Accommodation Service Plates
D7-RG Plates	None	"RG" General Information Plates
D7-RL Plates	None	"RL" Land Recreation Plates
D7-RM Plates	None	"RM" Motorist Service Plates
D7-RS Plates	None	"RS" Winter Recreation Plates
D7-RW Plates	None	"RW" Water Recreation Plates
D8-1		WEIGH STATION 1 MILE
D8-2	None	WEIGH STATION NEXT RIGHT

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
D8-3		WEIGH STATION w/ diagonal right Arrow
D8-100	D8-2	WEIGH STATION RIGHT LANE
D8-101		Plaque (OPEN/CLOSED)
D8-102	D8-6C	CUSTOMS 1 MILE
D8-103	D8-8	CUSTOMS 1000 FT OPEN/CUSTOMS CLOSED (hinged)
D8-104	D8-7R	CUSTOMS w/diagonal right Arrow
D9 Plates (1/3)	-	General Service Plates
D9 Plates (2/3)	-	General Service Plates
D9 Plates (3/3)	-	General Service Plates
D9-1	None	Telephone (Symbol)
D9-1A	D9-1	Telephone w/ Arrow (Symbol)
D9-1B	D9-1A	Telephone 1/4 MILE (Symbol)
D9-1C	None	Emergency 911 Telephone (Symbol)
D9-2		Hospital (Symbol)
D9-3		Tent Camping (Symbol)
D9-3X	D9-3B	Tent Camping Prohibited (Symbol)
D9-4	D9-3A	Trailer Camping (Symbol)
D9-4X	D9-3C	Trailer Camping Prohibited (Symbol)
D9-15	None	Propane (Symbol)
D9-100	None	RV PARK
D9-103	D9-4	LITTER BARREL 1000 FT (Symbol)
D9-104	D9-15	TROOPERS (Symbol & Text Plate)
D9-105	D9-14	PARKING (Symbol & Text Plaque)
D9-106	D9-13	WATER (Symbol & Text Plaque)
D9-107	D9-19R	Post Office
D9-108	D9-19C	Post Office 1 Mile
D9-201, 202, 203	None	FOOD, PHONE, GAS, LODGING, HOSPITAL, CAMPING Text Signs
D9-204		General Community Service
D9-205		Tourist Oriented Service Sign (TODS)
D9-210	None	NEXT SERVICES 44 MILES
D9-220	D9-18R	STATE TROOPERS (w/ Arrow)
D9-221	D9-18C	STATE TROOPERS 1 MILE
D9-230	None	Public Dumpster
D9-301	None	Directional Arrow (Symbol)
D9-302	None	1/2 Mi. (Hor. Arrow)
D9-303	None	1/2 Mi. (Up Arrow)
D9-304	D9-B	1000 FT
D9-305	D9-D	1/2 MILE
D9-306	D9-C	1 Mile

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
D9-307	D9-R	ARROW
D9-308	D9-E	1500 FT
D10-1, 2, 3	M10-1, M10-2	Single-Faced 1, 2, and 3 digit Mile Marker Signs
D10-101, 102, 103	None	Double-Faced 1, 2, and 3 digit Mile Marker Signs
D11-1		BIKE ROUTE (w/ Symbol)
D12-100	D12-1	WEATHER INFO TUNE RADIO TO _____
D12-101	D12-2	CARPOOL INFO 345-POOL
D12-102	None	CARPOOL INFO 345-POOL (Symbol)
E1-5		EXIT 444
E1-11		Advance Route Distance (One City)
E1-12		Advance Route Distance (Two Cities)
E1-31		Advance City Distance (One City)
E1-32		Advance City Distance (Two Cities)
E2-1		NEXT EXIT 7 MILES (1 line)
E2-1A		NEXT EXIT 7 MILES (2 lines)
E2-11		Destination NEXT RIGHT
E2-12		Two Destinations NEXT RIGHT
E3-11		Destination w/ Arrow
E3-12		Two Destinations w/ Arrow
E3-21		Destination w/ Route Marker & Arrow
E3-22		Two Destinations w/ Arrow and Route Marker
E4-11		Destination w/ Arrow
E4-12		Two Destinations w/ Arrow
E4-21		Destination w/ Arrow/Route Marker
E4-22		Two Destinations w/ Arrow/Route Marker
E5-1		EXIT (diagonal right Arrow)
E5-1A		EXIT Number (diagonal right Arrow)
E6-2		Direction/Route Marker/Route Name
E8-12		Exit Mileage (Two Exits)
E8-13		Exit Mileage (Three Exits)
E9-11		Number of Exits to One City
E9-12		Number of Exits to Two Cities
E10-11		Destination EXIT ONLY
E10-21		Destination EXIT ONLY w/ Route Marker
E11-1		EXIT ONLY w/ Down Arrow Plate
G20-1		ROAD WORK NEXT 5 MILES
G20-2A		END ROAD WORK
G20-4		PILOT CAR FOLLOW ME
I-1	None	SIGNALS SET FOR 25 MPH

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
I-2A		Anchorage CITY LIMITS
I-2B		Paxson
I-2C		ENTERING HAINES BOROUGH
I-2D		LEAVING HAINES BOROUGH
I-2E		ENTERING Salcha
I-2F	None	ENTERING GAME MANAGEMENT UNIT
I-2G	None	LEAVING GAME MANAGEMENT UNIT
I-3		Kuskokwim River 2 Line
I-3B	None	Thompson Pass and Elev. 2 Line
I-4A		Chilkoot Trail w/ Arrow
I-5		Airport (Symbol)
I-6		Bus Stop (Symbol)
I-7		Train Station (Symbol)
I-100	I-8	Ferry Terminal (Symbol)
I-111	None	NEXT 25 MI
I-120	D9-22B	SLOW VEHICLES USE TURNOUTS NEXT 2 MILES
I-121	D9-22A	SLOW VEHICLE TURNOUT (Arrow)
I-122	D9-22	SLOW VEHICLE TURNOUT 1000 FT
I-130	None	PLEASE LIMIT YOUR STAY TO 8 HOURS (NO TENTS OR CAMPS)
I-131	None	NOTICE THIS PARKING AREA IS FOR COMMUTERS ONLY
I-140	None	SPEEDOMETER CHECK SECTION AHEAD
I-141	M9-1, M9-3	END CHECK MILE 5/BEGIN CHECK MILE 0
I-142	M9-2	MILE 4
I-150	None	ADOPT A HIGHWAY With DOT&PF Logo and Sponsor Name
I-160	AK-SP1-1	PLEASE DON'T DRINK AND DRIVE
I-161	AK-SP1-2	PLEASE DRIVE SAFELY
I-162	AK-SP1-3	IN MEMORY OF _____
I-163	AK-SP1-4	SPONSORED BY THE _____ FAMILY
I-170	I-15A	Small Scenic Byway (Symbol)
I-171	I-15B	Large SCENIC BYWAY (Symbol & Text)
I-180	M8-1	STATE MAINTENANCE BEGINS
I-181	M8-2	STATE MAINTENANCE ENDS
LG-C1	None	GAS/FOOD/LODGING LOGO signs (3 options)
LG-C2	None	TOURIST ACTIVITIES LOGO signs (3 options)
LG-C3	None	RECREATION LOGO signs (4 options)
M1-6		ALASKA Route Marker (Symbol)
M1-7	None	NATIONAL FOREST Route Marker
M1-9	None	Bike Route Marker (Symbol)

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
M2-1		JCT Plate
M2-2		JCT w/ 2 Markers
M2-2A (3)	M2-3	JCT w/ 3 Markers
M3-1, M3-2		NORTH, EAST plates
M3-3, M3-4		SOUTH, WEST plates
M4-1, 1A, 2, 3		ALTERNATE, ALT, BYPASS, BUSINESS plates
M4-4, 5, 6		TRUCK, TO, END plates
M4-7		TEMPORARY plate
M4-8		DETOUR plate
M4-9		DETOUR (Horizontal Arrow)
M4-9A	None	DETOUR (Vertical Arrow)
M4-10		DETOUR (Horizontal Arrow)
M4-100, 101, 102	None	BEGIN, END, TO plates
M5-1, 2		Arrow Plates - 90 degree & 45 degree turns
M6-1, 2		Arrow Plates - horizontal and 45 degrees
M6-3,4		Arrow Plates - vertical & L/R
M6-5, 6		Arrow Plates - two direction 45 degree and 90 degree
M6-7		Up & Diagonal Right Arrows
M7-1, 2, 3	None	Bike Arrow Plates
M7-4, 5, 6, 7	None	Bike Arrow Plates
M11-1		ADOT Thompson Pass Station
M12-1		Fire Hydrant (Symbol)
OM-1, OM-4		Nine button Object Marker
OM-3		Vertical Panel Object Marker
R1-1		STOP
R1-2		YIELD
R1-2A	None	TO ONCOMING TRAFFIC
R1-3		Four-WAY
R1-4		ALLWAY
R2-1		SPEED LIMIT 50
R2-2	None	TRUCKS 40
R2-4		MINIMUM SPEED 40
R2-5A	None	REDUCED SPEED AHEAD
R2-5C		SPEED ZONE AHEAD
R2-100	AK-CR2-100	WORKZONE SPEED LIMIT 45 DOUBLE FINES
R3-1		No Right Turn (Symbol)
R3-2		No Left Turn (Symbol)
R3-3		NO TURNS
R3-4		No U-Turn (Symbol)

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
R3-4A		U and Left Turn (Symbol)
R3-4B		U and 2 Left Turn (Symbol)
R3-5		Right/Left Turn ONLY (Arrow)
R3-5A		Straight Only (Symbol)
R3-6	R3-6SL	Left Turn/Straight Movement ONLY (Symbol)
R3-7		LEFT/RIGHT LANE MUST TURN LEFT/RIGHT
R3-8	None	Lane use control Options
R3-8 L/LR	R3-8 L/DT	Lane Use Control-Multiple Lanes (Arrow)
R3-8 L/S	None	Lane Use Control - Multiple Lanes (Arrow)
R3-8 L/SL		Lane Use Control - Multiple Lanes (Arrow)
R3-9A		Arrows - Two Way Left Turn Only
R3-9B		CENTER LANE TWLTL ONLY (Arrows)
R3-16		Bike LANE AHEAD (Symbol)
R3-16A	None	Bike LANE ENDS (Symbol)
R3-17		RIGHT LANE Bikes ONLY (Symbol)
R4-1		DO NOT PASS
R4-2		PASS WITH CARE
R4-3		SLOWER TRAFFIC KEEP RIGHT
R4-4		BEGIN RIGHT TURN LANE YIELD TO BIKES (Arrow)
R4-5		TRUCKS USE RIGHT LANE
R4-6		TRUCK LANE 500 FEET
R4-6A	None	PASSING LANE 2 MILES
R4-6B	None	NEXT PASSING LANE 2 MILES
R4-7		Keep Right (Symbol)
R4-7A		KEEP RIGHT (Hor. Arrow)
R4-7B		KEEP RIGHT (45 deg. Arrow)
R4-8		Keep Left (Symbol)
R4-100	None	KEEP RIGHT EXCEPT TO PASS
R5-1		DO NOT ENTER (Symbol)
R5-1A		WRONG WAY
R5-2		No Trucks (Symbol)
R5-3		NO MOTOR VEHICLES
R5-5		VEHICLES WITH LUGS PROHIBITED
R5-6		No Bicycles (Symbol)
R5-10A		PEDESTRIAN BICYCLES MOTOR DRIVEN CYCLES PROHIBITED
R5-10B		PEDESTRIANS AND BICYCLES PROHIBITED
R5-10C		PEDESTRIANS PROHIBITED
R5-100	R5-5A	STUDDED TIRES PROHIBITED

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
R6-1		ONE WAY (Left/Right Arrow)
R6-2		ONE WAY (Left/Right Arrow)
R6-3		DIVIDED HIGHWAY (4-Leg Intersection)
R6-3A		DIVIDED HIGHWAY (T-Intersection)
R7P-	R7-	NO PARKING sign blank
R7S-		NO STOPPING sign blank
R7 Pg 1		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 2		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 3		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 4		No Parking/Stopping Legend Options for R7S & R7P
R7-8		RESERVED PARKING HANDICAPPED (Symbol)
R7-8A	None	VAN ACCESSIBLE
R7-9		NO PARKING BIKE LANE
R7-107A		NO PARKING BUS STOP
R7-108		Two HR PARKING (Arrow) 8:30 am - 5:30 pm
R7-111		PARALLEL PARKING ONLY
R7-112	None	DIAGONAL PARKING ONLY
R7-201, 201A, 201B	R7-201, 201A, 202	TOW-AWAY ZONE, Tow-Away Zone (Symbol), THIS SIDE OF SIGN
R7-202	R7-202K&M	BEGIN / END
R8-1		NO PARKING ON PAVEMENT
R8-1A		OR WITHIN 8 FEET
R8-2		NO PARKING EXCEPT ON SHOULDER
R8-3		NO PARKING
R8-3A		No Parking (Symbol)
R8-3AP	R8-30	Plaque for R8-3a, Seven Message Options
R8-4		EMERGENCY PARKING ONLY
R8-5		NO STOPPING ON PAVEMENT
R8-6		NO STOPPING EXCEPT ON SHOULDER
R8-7		EMERGENCY STOPPING ONLY
R8-8	None	DO NOT STOP ON TRACKS
R8-100	None	NO PARKING BEYOND THIS POINT
R8-101	None	MAXIMUM PARKING 48 HRS
R9-1		WALK ON LEFT FACING TRAFFIC
R9-2		CROSS ONLY AT CROSSWALKS
R9-3A		No Pedestrians (Symbol)
R9-3B		USE CROSSWALK (Arrow)
R9-4	None	NO HITCH HIKING
R9-5		Bikes USE PED SIGNAL (Symbol)

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
R9-6		Bikes YIELD TO PEDS (Symbol)
R9-7		KEEP LEFT Peds/RIGHT Bikes (Symbol)
R9-9	None	SIDEWALK CLOSED
R9-10	None	SIDEWALK CLOSED USE OTHER SIDE w/ Arrow
R9-11	None	SIDEWALK CLOSED AHEAD CROSS HERE w/ Arrow
R9-100	None	PEDESTRIANS (Arrow)
R10-1		CROSS ON GREEN LIGHT ONLY
R10-2		CROSS ON WALK SIGNAL ONLY
R10-2A		CROSS ONLY ON Walk (Symbol) SIGNAL
R10-3A		TO CROSS (Arrow) STREET PUSH BUTTON WAIT FOR GREEN LIGHT
R10-3B		Meaning of Ped Signals
R10-4A		TO CROSS STREET (Arrow) PUSH BUTTON WAIT FOR WALK SIGNAL
R10-4B	None	PUSH BUTTON FOR Walk (Symbol)
R10-5	R10-5A	LEFT ON GREEN ARROW ONLY
R10-6		STOP HERE ON RED w/ Arrow
R10-7		DO NOT BLOCK INTERSECTION
R10-8		USE LANE WITH GREEN ARROW
R10-11A		NO TURN ON RED (rectangle)
R10-11B		NO TURN ON RED (square)
R10-11C	None	No Right Turn ON RED (Symbol)
R10-11D	None	No Left Turn ON RED (Symbol)
R10-12		LEFT TURN YIELD ON GREEN Ball (Symbol)
R10-100	R10-13	Left Turn ONLY YIELD ON GREEN Ball (Symbol)
R11-1		KEEP OFF MEDIAN
R11-2		ROAD CLOSED
R11-3	R11-3A	ROAD CLOSED 10 MILES AHEAD LOCAL TRAFFIC ONLY
R11-3A	R11-3B	BRIDGE OUT 10 MILES AHEAD LOCAL TRAFFIC ONLY
R11-4		ROAD CLOSED TO THRU TRAFFIC
R11-100	R11-5	NO ROAD MAINTENANCE AFTER NOV 1
R11-101	R11-6	ROAD CLOSED AVALANCHE AREA
R12-1		WEIGHT LIMIT 10 TONS
R12-2		AXLE WEIGHT LIMIT 5 TONS
R12-3		NO TRUCKS OVER 7K LBS EMPTY WT
R12-4		WEIGHT LIMIT 2 TONS PER AXLE 10 TONS GROSS
R12-5		WEIGHT LIMIT 8T 12T 16T (Symbol)
R12-100	R12-5A	WEIGHT LIMIT TANDEM GROUP 16K LBS
R12-101	R12-5B	WEIGHT LIMITS AXLE 16K LBS TANDEM GROUP 28K LBS

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
R12-102	R12-6	LEGAL LIMIT 75% OF MAXIMUM AXLE LOAD
R12-103	R12-7	NO STUDDDED TIRES (Dates)
R12-104	R12-8	CHAINS REQUIRED AHEAD
R12-105	R12-9	CHAINS REQUIRED ON ALL VEHICLES
R12-106	R12-10(L)	INSTALL CHAINS HERE (Arrow)
R12-107	R12-11	END CHAIN AREA
R12-108	None	STUDS OR CHAINS REQUIRED NEXT 3 MILES
R13-1		ALL TRUCKS COMMERCIAL VEHICLES NEXT RIGHT
R13-100	None	TRUCKS OVER 16,000 GVWR STOP AT SCALES WHEN OPEN
R13-101	None	WEIGH STATION CLOSED/TRUCKS STOP AT SCALES
R13-102	None	WEIGH STATION CLOSED/TRUCKS OVER 16,000 GVWR STOP AT SCALES
R13-103	R13-2	ALL VEHICLES STOP AT CUSTOMS
R14-1		TRUCK ROUTE
R14-1A		TRUCK ROUTE (Arrow)
R15-1		RAILROAD CROSS BUCKS
R15-2		Three TRACKS
R15-3		EXEMPT
R16-1	None	BUCKLE UP FOR SAFETY (Symbol)
R16-100	AK-CR16-100	WORK ZONE BEGIN DOUBLE TRAFFIC FINES
R16-101	AK-CR16-101	END DOUBLE TRAFFIC FINES
R16-102	AK-CR16-102	DOUBLE FINES WHERE POSTED (w/ inset sign)
R16-103	None	DELAY OF 5 VEHICLES ILLEGAL MUST USE TURNOUTS
R16-104	R16-2	NO SHOOTING FROM ROADWAY
R16-105	R16-3	NO SHOOTING WITHIN 1/4 MILE OF ROADWAY
R16-106	R16-1	FINE FOR LITTERING \$1000
R16-107	None	KEEP OFF WET PAINT
R16-108	None	NO FISHING FROM BRIDGE
R16-109	None	DUMPING PROHIBITED
R16-110	None	DRIVE WITH HEADLIGHTS ON AT ALL TIMES
R16-111		STOP-FOLLOW PILOT CAR WHEN GOING YOUR WAY
S1-1		Advance School Crossing (Symbol)
S3-1		SCHOOL BUS STOP AHEAD
S4-1		8:30 AM TO 5:30 PM
S4-3		SCHOOL
S5-1		SCHOOL SPEED LIMIT 20 WHEN FLASHING
S5-2		END SCHOOL ZONE
S5-2A	S6-1	END SCHOOL ZONE (Plaque)
S6-1		DRUG-FREE SCHOOL ZONE

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
W1-1		Turn Arrow 90 Degree (Symbol)
W1-2		Curve (Arrow) (Symbol)
W1-3		Reverse Turn (Arrow) (Symbol)
W1-4		Reverse Curve (Arrow) (Symbol)
W1-5		Winding Road (Arrow) (Symbol)
W1-6		One Way (large Arrow) (Symbol)
W1-7		Two Way (large Arrow) (Symbol)
W1-8		Chevron (Symbol)
W1-9	None	TURN with Advisory Speed (Arrow) (Symbol)
W1-10	None	CURVE with Intersection Advisory (Arrow) (Symbol)
W1-100	W1-9R	Turn Arrow 180 Degree (Symbol)
W1-101	W1-10R	Turn Arrow 360 Degree (Symbol)
W2-1		Four-Way Intersection (Symbol)
W2-2		Side Road (90 Degree) (Symbol)
W2-3		Side Road (45 Degree) (Symbol)
W2-4		Intersection T (Symbol)
W2-5		Intersection Y (Symbol)
W2-6	None	Roundabout Ahead (Symbol)
W2-6A	None	Roundabout (Plaque)
W3-1A	W3-1	Stop Ahead (Symbol)
W3-2A	W3-2	Yield Ahead (Symbol)
W3-3		Signal Ahead (Symbol)
W3-100	None	New Traffic Pattern
W4-1		Merge (Arrow) (Symbol)
W4-3	None	Added Lane, One Through Lane (Arrow) (Symbol)
W5-1		ROAD NARROWS
W5-2		NARROW BRIDGE
W5-3		ONE LANE BRIDGE
W5-4		RAMP NARROWS
W6-1		Divided Highway Begins (Arrows) (Symbol)
W6-2		Divided Highway Ends (Arrows) (Symbol)
W6-3		Two Way Traffic (Arrows) (Symbol)
W6-100	W6-4 (1-2)	One Lane Opposing Two Lanes (Arrows) (Symbol)
W7-1		Truck on Hill (Symbol)
W7-1A	None	Truck On Hill % Slope (Symbol)
W7-2B	W7-2	TRUCKS USE LOWER GEAR
W7-3		9% GRADE
W7-3A		NEXT 7 MILES
W7-3B		9% GRADE NEXT 7 MILES

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
W7-4		RUNAWAY TRUCK RAMP X MILE
W7-4B	W7-4A	RUNAWAY TRUCK RAMP (w/ Arrow)
W7-5		Hill (bike Symbol) (Symbol)
W7-100	W7-6	SLOW MOVING VEHICLES
W8-1		BUMP
W8-1A		BUMPS
W8-2		DIP
W8-2A		DIPS
W8-3		Pavement Ends (Symbol)
W8-4		SOFT SHOULDER
W8-5		Slippery When Wet (Symbol)
W8-5P	W8-5	SLIPPERY WHEN WET (Plate)
W8-6		TRUCK CROSSING
W8-9		LOW SHOULDER
W8-9A		Low Shoulder (Symbol)
W8-10		SLIPPERY WHEN WET (BIKE SYMBOL)
W9-1		RIGHT (LEFT) LANE ENDS
W9-2		LANE ENDS MERGE LEFT (RIGHT)
W10-1		RAILROAD ADVANCE CROSSING
W10-2	W10-4	RR Crossing Advance of Road Intersection (Symbol)
W10-3		RAILROAD ADVANCE ROAD CROSSING RT
W10-4	None	RR Crossing At T Intersection - 90 To Main Road (Symbol)
W10-100	W10-5A	RR BIKE CROSSING CAUTION
W11-1		Bike Crossing (Symbol)
W11-2		Advance Ped Crossing - Use with W16-07 (Symbol)
W11-3		Deer Crossing (Symbol)
W11-4		Cattle Crossing (Symbol)
W11-5		Farm Machinery Crossing (Symbol)
W11-7	W11-11	Horse Crossing (Symbol)
W11-8		Fire Truck (Symbol)
W11-8A	W11-8A	FIRE STATION
W11-9		Handicap Crossing (Symbol)
W11-10		Truck Crossing (Symbol)
W11-100	W11-6	Snowmobile Crossing (Symbol)
W11-101	W11-7	Equestrian Crossing (Symbol)
W11-103	W11-12	Moose Crossing (Symbol)
W11-104	W11-13	Caribou Crossing (Symbol)
W11-105	W11-14	Bison Crossing (Symbol)
W11-106	W15-1	Playground (Symbol)

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
W11-107	W11-20	LOOSE LIVESTOCK
W11-108	None	DOG TEAM CROSSING
W12-1		Left/Right Down Arrows (Symbol)
W12-2		LOW CLEARANCE SYMBOL (Two Arrows)
W12-2A		LOW CLEARANCE SYMBOL (One Arrow)
W12-2P	W12-2C	14 FT 10 INCHES - LOW CLEARANCE Plate
W12-100	W12-2B	4 MI. AHEAD
W12-101	W12-4	10 TON WEIGHT LIMIT
W13-1		35 MPH (Advisory Speed Plate)
W13-1A		NEXT 25 MILES (Advisory Plate)
W13-2		EXIT 25 MPH (Advisory Speed Plate)
W13-3		RAMP 30 MPH (Advisory Speed Plate)
W14-1		DEAD END
W14-1P	None	DEAD END w/ Arrow (Plate)
W14-2		NO OUTLET
W14-2P	None	NO OUTLET w/ Arrow (Plate)
W14-3		NO PASSING ZONE
W14-100	W14-2A	END
W14-101	W14-2B	END ROAD 1000 FT
W14-102	W14-2C	END MAINTENANCE 1500 FT
W14-103	W14-5A	ROAD CLOSED AHEAD
W14-104	W14-5B	BRIDGE CLOSED AHEAD
W14-105	None	TRAVEL BEYOND THIS POINT...
W16-1	None	SHARE THE ROAD
W16-2P	None	100 FT
W16-7P	None	Left Diagonal Arrow (Plate)
W16-8P		Advance Street Name (Plate)
W16-9P	None	AHEAD
W16-100	W16-1	SLIDE AREA
W16-101	W16-2	END SLIDE AREA
W16-102	None	WATCH FOR ICE
W16-103	None	WATER OVER ROADWAY
W16-104	W16-7	WIND AREA
W16-105	W16-8	ROCKS
W16-106	W16-9	AIRCRAFT
W16-107	W16-10	END OF FREEWAY 1/2 MI
W16-108	W16-12	JETBLAST AREA
W16-109	W16-13	END JETBLAST AREA
W16-110	W16-5	AVALANCHE AREA

Index (by Sign Number)

Sign Number	Pre-2002 Sign Number (If Different)	Message
W16-111	W16-6	END AVALANCHE AREA
W16-112	None	AVALANCHE AREA NEXT 2 MI DO NOT STOP
W16-113	None	PRIMITIVE ROAD NO WARNING SIGNS

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
D7-RA Plates	None	"RA" Accommodation Service Plates
D7-RG Plates	None	"RG" General Information Plates
D7-RL Plates	None	"RL" Land Recreation Plates
D7-RM Plates	None	"RM" Motorist Service Plates
D7-RS Plates	None	"RS" Winter Recreation Plates
D7-RW Plates	None	"RW" Water Recreation Plates
D9-306	D9-C	1 Mile
D9-302	None	1/2 Mi. (Hor. Arrow)
D9-303	None	1/2 Mi. (Up Arrow)
D9-305	D9-D	1/2 MILE
D5-103	None	1/4 MILE
W12-101	W12-4	10 TON WEIGHT LIMIT
W16-2P	None	100 FT
D9-304	D9-B	1000 FT
W12-2P	W12-2C	14 FT 10 INCHES - LOW CLEARANCE Plate
D9-308	D9-E	1500 FT
CW13-1		35 MPH (Advisory Speed Plate)
W13-1		35 MPH (Advisory Speed Plate)
W12-100	W12-2B	4 MI. AHEAD
S4-1		8:30 AM TO 5:30 PM
W7-3		9% GRADE
W7-3B		9% GRADE NEXT 7 MILES
CW4-3	None	Added Lane (Single Through Lane) (Symbol)
W4-3	None	Added Lane, One Through Lane (Arrow) (Symbol)
I-150	None	ADOPT A HIGHWAY With DOT&PF Logo and Sponsor Name
M11-1		ADOT Thompson Pass Station
E1-31		Advance City Distance (One City)
E1-32		Advance City Distance (Two Cities)
W11-2		Advance Ped Crossing - Use with W16-07 (Symbol)
E1-11		Advance Route Distance (One City)
E1-12		Advance Route Distance (Two Cities)
S1-1		Advance School Crossing (Symbol)
D3-2RL		Advance Street Name (Arrow in both directions)
D3-2		Advance Street Name (Arrow in one direction)
W16-8P		Advance Street Name (Plate)
W16-9P	None	AHEAD
W16-106	W16-9	AIRCRAFT

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
		(If Different)
W8-1		BUMP
CW8-1A		BUMPS
W8-1A		BUMPS
I-6		Bus Stop (Symbol)
W11-104	W11-13	Caribou Crossing (Symbol)
D12-101	D12-2	CARPOOL INFO 345-POOL
D12-102	None	CARPOOL INFO 345-POOL (Symbol)
W11-4		Cattle Crossing (Symbol)
R3-9B		CENTER LANE TWLTL ONLY (Arrows)
R12-104	R12-8	CHAINS REQUIRED AHEAD
R12-105	R12-9	CHAINS REQUIRED ON ALL VEHICLES
CW1-8		Chevron (Symbol)
W1-8		Chevron (Symbol)
I-4A		Chilkoot Trail w/ Arrow
R10-1		CROSS ON GREEN LIGHT ONLY
R10-2		CROSS ON WALK SIGNAL ONLY
R9-2		CROSS ONLY AT CROSSWALKS
R10-2A		CROSS ONLY ON Walk (Symbol) SIGNAL
W1-2		Curve (Arrow) (Symbol)
CW1-2		Curve (Symbol)
W1-10	None	CURVE with Intersection Advisory (Arrow) (Symbol)
D8-102	D8-6C	CUSTOMS 1 MILE
D8-103	D8-8	CUSTOMS 1000 FT OPEN/CUSTOMS CLOSED (hinged)
D8-104	D8-7R	CUSTOMS w/diagonal right Arrow
W14-1		DEAD END
W14-1P	None	DEAD END w/ Arrow (Plate)
W11-3		Deer Crossing (Symbol)
R16-103	None	DELAY OF 5 VEHICLES ILLEGAL MUST USE TURNOUTS
E10-11		Destination EXIT ONLY
E10-21		Destination EXIT ONLY w/ Route Marker
E2-11		Destination NEXT RIGHT
E3-11		Destination w/ Arrow
E4-11		Destination w/ Arrow
E4-21		Destination w/ Arrow/Route Marker
E3-21		Destination w/ Route Marker & Arrow
M4-9		DETOUR (Horizontal Arrow)
M4-10		DETOUR (Horizontal Arrow)
M4-9A	None	DETOUR (Vertical Arrow)

Index (by Message)

Sign Number	Pre-2002 Sign Number (If Different)	Message
CW20-101		DETOUR AHEAD _____
M4-8		DETOUR plate
R7-112	None	DIAGONAL PARKING ONLY
CW8-2		DIP
W8-2		DIP
CW8-2A		DIPS
W8-2A		DIPS
E6-2		Direction/Route Marker/Route Name
D9-301	None	Directional Arrow (Symbol)
R6-3		DIVIDED HIGHWAY (4-Leg Intersection)
R6-3A		DIVIDED HIGHWAY (T-Intersection)
W6-1		Divided Highway Begins (Arrows) (Symbol)
CW6-1		Divided Highway Begins (Symbol)
W6-2		Divided Highway Ends (Arrows) (Symbol)
CW6-2		Divided Highway Ends (Symbol)
R10-7		DO NOT BLOCK INTERSECTION
R5-1		DO NOT ENTER (Symbol)
R4-1		DO NOT PASS
R8-8	None	DO NOT STOP ON TRACKS
W11-108	None	DOG TEAM CROSSING
R16-102	AK-CR16-102	DOUBLE FINES WHERE POSTED (w/ inset sign)
D10-101, 102, 103	None	Double-Faced 1, 2, and 3 digit Mile Marker Signs
R16-110	None	DRIVE WITH HEADLIGHTS ON AT ALL TIMES
S6-1		DRUG-FREE SCHOOL ZONE
R16-109	None	DUMPING PROHIBITED
D9-1C	None	Emergency 911 Telephone (Symbol)
R8-4		EMERGENCY PARKING ONLY
R8-7		EMERGENCY STOPPING ONLY
W14-100	W14-2A	END
W16-111	W16-6	END AVALANCHE AREA
CW22-3		END BLASTING ZONE
R12-107	R12-11	END CHAIN AREA
I-141	M9-1, M9-3	END CHECK MILE 5/BEGIN CHECK MILE 0
R16-101	AK-CR16-101	END DOUBLE TRAFFIC FINES
W16-109	W16-13	END JETBLAST AREA
W14-102	W14-2C	END MAINTENANCE 1500 FT
W16-107	W16-10	END OF FREEWAY 1/2 MI
W14-101	W14-2B	END ROAD 1000 FT

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
G20-2A		END ROAD WORK
S5-2		END SCHOOL ZONE
S5-2A	S6-1	END SCHOOL ZONE (Plaque)
W16-101	W16-2	END SLIDE AREA
I-2F	None	ENTERING GAME MANAGEMENT UNIT
I-2C		ENTERING HAINES BOROUGH
I-2E		ENTERING Salcha
W11-101	W11-7	Equestrian Crossing (Symbol)
R15-3		EXEMPT
E5-1		EXIT (diagonal right Arrow)
W13-2		EXIT 25 MPH (Advisory Speed Plate)
E1-5		EXIT 444
E8-13		Exit Mileage (Three Exits)
E8-12		Exit Mileage (Two Exits)
E5-1A		EXIT Number (diagonal right Arrow)
E11-1		EXIT ONLY w/ Down Arrow Plate
W11-5		Farm Machinery Crossing (Symbol)
I-100	I-8	Ferry Terminal (Symbol)
R16-106	R16-1	FINE FOR LITTERING \$1000
M12-1		Fire Hydrant (Symbol)
W11-8A		FIRE STATION
W11-8		Fire Truck (Symbol)
CW20-7		Flagger Sign (Symbol)
D9-201, 202, 203	None	FOOD, PHONE, GAS, LODGING, HOSPITAL, CAMPING Text Signs
R1-3		Four-WAY
W2-1		Four-Way Intersection (Symbol)
CW21-2		FRESH OIL/TAR
LG-C1	None	GAS/FOOD/LODGING LOGO signs (3 options)
D9-204		General Community Service
D9 Plates (1/3)	-	General Service Plates
D9 Plates (2/3)	-	General Service Plates
D9 Plates (3/3)	-	General Service Plates
W11-9		Handicap Crossing (Symbol)
W7-5		Hill (bike Symbol) (Symbol)
W11-7	W11-11	Horse Crossing (Symbol)
D9-2		Hospital (Symbol)

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
		Message
		Sign Number (If Different)
I-162	AK-SP1-3	IN MEMORY OF _____
R12-106	R12-10(L)	INSTALL CHAINS HERE (Arrow)
W2-4		Intersection T (Symbol)
W2-5		Intersection Y (Symbol)
M2-1		JCT Plate
M2-2		JCT w/ 2 Markers
M2-2A (3)	M2-3	JCT w/ 3 Markers
W16-108	W16-12	JETBLAST AREA
R4-8		Keep Left (Symbol)
R9-7		KEEP LEFT Peds/RIGHT Bikes (Symbol)
R11-1		KEEP OFF MEDIAN
R16-107	None	KEEP OFF WET PAINT
R4-7B		KEEP RIGHT (45 deg. Arrow)
R4-7A		KEEP RIGHT (Hor. Arrow)
R4-7		Keep Right (Symbol)
R4-100	None	KEEP RIGHT EXCEPT TO PASS
I-3		Kuskokwim River 2 Line
CW9-2	W9-2L	LANE ENDS MERGE LEFT (RIGHT)
W9-2		LANE ENDS MERGE LEFT (RIGHT)
R3-8 L/S	None	Lane Use Control - Multiple Lanes (Arrow)
R3-8 L/SL		Lane Use Control - Multiple Lanes (Arrow)
R3-8	None	Lane use control Options
R3-8 L/LR	R3-8 L/DT	Lane Use Control-Multiple Lanes (Arrow)
CW1-6		Large Arrow, One Way (Symbol)
I-171	AK-D7-6	Large SCENIC BYWAY (Symbol & Text)
I-2G	None	LEAVING GAME MANAGEMENT UNIT
I-2D		LEAVING HAINES BOROUGH
W16-7P	None	Left Diagonal Arrow (Plate)
R10-5	R10-5A	LEFT ON GREEN ARROW ONLY
R10-100	R10-13	Left Turn ONLY YIELD ON GREEN Ball (Symbol)
R10-12		LEFT TURN YIELD ON GREEN Ball (Symbol)
R3-6	R3-6SL	Left Turn/Straight Movement ONLY (Symbol)
CW12-1		Left/Right (Down Arrows) (Symbol)
W12-1		Left/Right Down Arrows (Symbol)
R3-7		LEFT/RIGHT LANE MUST TURN LEFT/RIGHT
R12-102	R12-6	LEGAL LIMIT 75% OF MAXIMUM AXLE LOAD
D9-103	D9-4	LITTER BARREL 1000 FT (Symbol)

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
CW8-7		LOOSE GRAVEL
W11-107	W11-20	LOOSE LIVESTOCK
W12-2A		LOW CLEARANCE SYMBOL (One Arrow)
W12-2		LOW CLEARANCE SYMBOL (Two Arrows)
CW12-2		Low Clearance Symbol (Two Arrows) (Symbol)
CW8-9		LOW SHOULDER
W8-9		LOW SHOULDER
W8-9A		Low Shoulder (Symbol)
R8-101	None	MAXIMUM PARKING 48 HRS
R10-3B		Meaning of Ped Signals
W4-1		Merge (Arrow) (Symbol)
CW4-1		Merge (Symbol)
I-142	M9-2	MILE 4
R2-4		MINIMUM SPEED 40
W11-103	W11-12	Moose Crossing (Symbol)
CW5-2		NARROW BRIDGE
W5-2		NARROW BRIDGE
M1-7	None	NATIONAL FOREST Route Marker
CW3-3P	CW3-3B	NEW SIGNAL (Plate)
W3-100	None	New Traffic Pattern
I-111	None	NEXT 25 MI
W13-1A		NEXT 25 MILES (Advisory Plate)
W7-3A		NEXT 7 MILES
E2-1		NEXT EXIT 7 MILES (1 line)
E2-1A		NEXT EXIT 7 MILES (2 lines)
R4-6B	None	NEXT PASSING LANE 2 MILES
D5-100	None	NEXT REST AREA 44 MILES
D9-210	None	NEXT SERVICES 44 MILES
OM-1, OM-4		Nine button Object Marker
R5-6		No Bicycles (Symbol)
CW8-12		NO CENTER STRIPE
R16-108	None	NO FISHING FROM BRIDGE
R9-4	None	NO HITCH HIKING
R3-2		No Left Turn (Symbol)
R10-11D	None	No Left Turn ON RED (Symbol)
R5-3		NO MOTOR VEHICLES
W14-2		NO OUTLET
W14-2P	None	NO OUTLET w/ Arrow (Plate)

Index (by Message)

Sign Number	Pre-2002 Sign Number (If Different)	Message
R8-3		NO PARKING
R8-3A		No Parking (Symbol)
R8-100	None	NO PARKING BEYOND THIS POINT
R7-9		NO PARKING BIKE LANE
R7-107A		NO PARKING BUS STOP
R8-2		NO PARKING EXCEPT ON SHOULDER
R8-1		NO PARKING ON PAVEMENT
R7P-	R7-	NO PARKING sign blank
R7 Pg 1		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 2		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 3		No Parking/Stopping Legend Options for R7S & R7P
R7 Pg 4		No Parking/Stopping Legend Options for R7S & R7P
CW14-3		NO PASSING
W14-3		NO PASSING ZONE
R9-3A		No Pedestrians (Symbol)
R3-1		No Right Turn (Symbol)
R10-11C	None	No Right Turn ON RED (Symbol)
R11-100	R11-5	NO ROAD MAINTENANCE AFTER NOV 1
R16-104	R16-2	NO SHOOTING FROM ROADWAY
R16-105	R16-3	NO SHOOTING WITHIN 1/4 MILE OF ROADWAY
CW8-9B	CW8-10	NO SHOULDER
R8-6		NO STOPPING EXCEPT ON SHOULDER
R8-5		NO STOPPING ON PAVEMENT
R7S-		NO STOPPING sign blank
R12-103	R12-7	NO STUDDED TIRES (Dates)
R5-2		No Trucks (Symbol)
R12-3		NO TRUCKS OVER 7K LBS EMPTY WT
R10-11A		NO TURN ON RED (rectangle)
R10-11B		NO TURN ON RED (square)
R3-3		NO TURNS
R3-4		No U-Turn (Symbol)
M3-1, M3-2		NORTH, EAST plates
I-131	None	NOTICE THIS PARKING AREA IS FOR COMMUTERS ONLY
E9-11		Number of Exits to One City
E9-12		Number of Exits to Two Cities
CW5-3		ONE LANE BRIDGE
W5-3		ONE LANE BRIDGE

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
W6-100	W6-4 (1-2)	One Lane Opposing Two Lanes (Arrows) (Symbol)
CW20-4		ONE LANE ROAD _____
CW6-100	None	One Lane with 2 Advancing Lanes
D1-1		One Line Destination & Arrow
D2-1		One Line Destination & Mileage
D1-1A		One Line Destination, Arrow & Mileage
D3-1B		One Line Overhead Street Name
W1-6		One Way (large Arrow) (Symbol)
R6-1		ONE WAY (Left/Right Arrow)
R6-2		ONE WAY (Left/Right Arrow)
R8-1A		OR WITHIN 8 FEET
R7-111		PARALLEL PARKING ONLY
D4-100	None	PARK & RIDE (car & bus symbol)
D4-2		PARK & RIDE (car symbol)
D4-1		PARKING (Arrow)
D9-105	D9-14	PARKING (Symbol & Text Plaque)
R4-2		PASS WITH CARE
R4-6A	None	PASSING LANE 2 MILES
CW8-3		PAVEMENT ENDS
W8-3		Pavement Ends (Symbol)
I-2B		Paxson
R5-10A		PEDESTRIAN BICYCLES MOTOR DRIVEN CYCLES PROHIBITED
R9-100	None	PEDESTRIANS (Arrow)
R5-10B		PEDESTRIANS AND BICYCLES PROHIBITED
R5-10C		PEDESTRIANS PROHIBITED
G20-4		PILOT CAR FOLLOW ME
D8-101	D8-2	Plaque (OPEN/CLOSED)
R8-3AP	R8-30	Plaque for R8-3a, Seven Message Options
W11-106	W15-1	Playground (Symbol)
I-160	AK-SP1-1	PLEASE DON'T DRINK AND DRIVE
I-161	AK-SP1-2	PLEASE DRIVE SAFELY
I-130	None	PLEASE LIMIT YOUR STAY TO 8 HOURS (NO TENTS OR CAMPS)
D9-107	D9-19R	Post Office
D9-108	D9-19C	Post Office 1 Mile
W16-113	None	PRIMITIVE ROAD NO WARNING SIGNS
D9-15	None	Propane (Symbol)

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
D9-230	None	Public Dumpster
R10-4B	None	PUSH BUTTON FOR Walk (Symbol)
W10-1		RAILROAD ADVANCE CROSSING
W10-3		RAILROAD ADVANCE ROAD CROSSING RT
R15-1		RAILROAD CROSS BUCKS
W13-3		RAMP 30 MPH (Advisory Speed Plate)
CW5-4	None	RAMP NARROWS
W5-4		RAMP NARROWS
D7-100	None	RECREATION AREA NEXT RIGHT (symbol template)
LG-C3	None	RECREATION LOGO signs (4 options)
R2-5A	None	REDUCED SPEED AHEAD
R7-8		RESERVED PARKING HANDICAPPED (Symbol)
D5-102	None	REST AREA
D5-2	I-21	REST AREA (Arrow)
D5-104	None	REST AREA (Arrow)
D5-1	None	REST AREA 2 MILES
D5-101	None	REST AREA NEXT RIGHT
W1-4		Reverse Curve (Arrow) (Symbol)
CW1-4		Reverse Curve (Symbol)
W1-3		Reverse Turn (Arrow) (Symbol)
CW9-1		RIGHT (LEFT) LANE ENDS
W9-1		RIGHT (LEFT) LANE ENDS
R3-17		RIGHT LANE Bikes ONLY (Symbol)
CW20-5	CW20-5RF	RIGHT LANE CLOSED _____
R3-5		Right/Left Turn ONLY (Arrow)
R11-2		ROAD CLOSED
CW20-3		ROAD CLOSED _____
R11-3	R11-3A	ROAD CLOSED 10 MILES AHEAD LOCAL TRAFFIC ONLY
W14-103	W14-5A	ROAD CLOSED AHEAD
R11-101	R11-6	ROAD CLOSED AVALANCHE AREA
R11-4		ROAD CLOSED TO THRU TRAFFIC
CW8-8A		ROAD DAMAGE
CW21-3		ROAD MACHINERY _____
CW5-1		ROAD NARROWS
W5-1		ROAD NARROWS
CW8-5		Road Slippery When Wet (Symbol)
CW20-100		ROAD WORK _____
G20-1		ROAD WORK NEXT 5 MILES

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
W16-105	W16-8	ROCKS
CW8-8		ROUGH ROAD
W2-6A	None	Roundabout (Plaque)
W2-6	None	Roundabout Ahead (Symbol)
D1-100	None	Roundabout Destination
W10-100	W10-5A	RR BIKE CROSSING CAUTION
W10-2	W10-4	RR Crossing Advance of Road Intersection (Symbol)
W10-4	None	RR Crossing At T Intersection - 90 To Main Road (Symbol)
CW20-5A	None	RT. TWO LANES CLOSED _____
W7-4B	W7-4A	RUNAWAY TRUCK RAMP (w/ Arrow)
W7-4		RUNAWAY TRUCK RAMP X MILE
S4-3		SCHOOL
S3-1		SCHOOL BUS STOP AHEAD
S5-1		SCHOOL SPEED LIMIT 20 WHEN FLASHING
W16-1	None	SHARE THE ROAD
CW21-5		SHOULDER WORK
W2-2		Side Road (90 Degree) (Symbol)
W2-3		Side Road (45 Degree) (Symbol)
R9-9	None	SIDEWALK CLOSED
R9-11	None	SIDEWALK CLOSED AHEAD CROSS HERE w/ Arrow
R9-10	None	SIDEWALK CLOSED USE OTHER SIDE w/ Arrow
CW3-3	CW3-3B	Signal Ahead (Symbol)
W3-3		Signal Ahead (Symbol)
I-1	None	SIGNALS SET FOR 25 MPH
D10-1, 2, 3	M10-1, M10-2	Single-Faced 1, 2, and 3 digit Mile Marker Signs
W16-100	W16-1	SLIDE AREA
W8-10		SLIPPERY WHEN WET (BIKE SYMBOL)
CW8-5P		SLIPPERY WHEN WET (Plate)
W8-5P	W8-5	SLIPPERY WHEN WET (Plate)
W8-5		Slippery When Wet (Symbol)
W7-100	W7-6	SLOW MOVING VEHICLES
I-121	D9-22A	SLOW VEHICLE TURNOUT (Arrow)
I-122	D9-22	SLOW VEHICLE TURNOUT 1000 FT
I-120	D9-22B	SLOW VEHICLES USE TURNOUTS NEXT 2 MILES
R4-3		SLOWER TRAFFIC KEEP RIGHT
I-170	AK-D7-7	Small Scenic Byway (Symbol)
W11-100	W11-6	Snowmobile Crossing (Symbol)
CW8-4		SOFT SHOULDER

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
W8-4		SOFT SHOULDER
M3-3, M3-4		SOUTH, WEST plates
R2-1		SPEED LIMIT 50
R2-5C		SPEED ZONE AHEAD
I-140	None	SPEEDOMETER CHECK SECTION AHEAD
I-163	AK-SP1-4	SPONSORED BY THE _____ FAMILY
I-180	M8-1	STATE MAINTENANCE BEGINS
I-181	M8-2	STATE MAINTENANCE ENDS
D9-220	D9-18R	STATE TROOPERS (w/ Arrow)
D9-221	D9-18C	STATE TROOPERS 1 MILE
R1-1		STOP
CW3-1A		Stop Ahead (Symbol)
W3-1A	W3-1	Stop Ahead (Symbol)
R10-6		STOP HERE ON RED w/ Arrow
R16-111		STOP-FOLLOW PILOT CAR WHEN GOING YOUR WAY
CW23-100F	CW23-1A	STOP-SLOW PADDLE
CW23-100B	CW23-1B	STOP-SLOW PADDLE
R3-5A		Straight Only (Symbol)
D3-1		Street Name (small sign)
D3-1A		Street Name w Block Number (small sign)
D3-1D	None	Street Name w Block Number (small sign)
R5-100	R5-5A	STUDDED TIRES PROHIBITED
R12-108	None	STUDS OR CHAINS REQUIRED NEXT 3 MILES
CW21-6		SURVEY CREW
D9-1	None	Telephone (Symbol)
D9-1B	D9-1A	Telephone 1/4 MILE (Symbol)
D9-1A	D9-1	Telephone w/ Arrow (Symbol)
M4-7		TEMPORARY plate
D9-3		Tent Camping (Symbol)
D9-3X	D9-3B	Tent Camping Prohibited (Symbol)
I-3B	None	Thompson Pass and Elev. 2 Line
CW1-4C	None	Three Lane Curves Ahead (Symbol)
D1-3-2	D1-3	Three Line Destination & 2 Arrows (2 destinations in one direction, one in another)
D1-3-3	D1-3	Three Line Destination & 3 Arrows (All destinations in different directions)
D2-3		Three Line Destination & Mileage

Index (by Message)


Sign Number	Pre-2002 Sign Number	Message
D1-3A-2	D1-3A	Three Line Destination, 2 Arrows & Mileage (2 destinations in same direction, 1 in another)
D1-3A-3	D1-3A	Three Line Destination, 3 Arrows & Mileage (All destinations in different directions)
D7-1	D7-3	Three Line Rectangular Recreational Destination & Distance
R15-2		Three TRACKS
CW4-1A	None	THRU TRAFFIC MERGE LEFT
R10-3A		TO CROSS (Arrow) STREET PUSH BUTTON WAIT FOR GREEN LIGHT
R10-4A		TO CROSS STREET (Arrow) PUSH BUTTON WAIT FOR WALK SIGNAL
R1-2A	None	TO ONCOMING TRAFFIC
LG-C2	None	TOURIST ACTIVITIES LOGO signs (3 options)
D9-205		Tourist Oriented Service Sign (TODS)
R7-201, 201A, 201B	R7-201, 201A, 202	TOW-AWAY ZONE, Tow-Away Zone (Symbol), THIS SIDE OF SIGN
D7-105	D7-4R	TRAIL of '98 (Arrow)
D9-4	D9-3A	Trailer Camping (Symbol)
D9-4X	D9-3C	Trailer Camping Prohibited (Symbol)
I-7		Train Station (Symbol)
W14-105	None	TRAVEL BEYOND THIS POINT...
D9-104	D9-15	TROOPERS (Symbol & Text Plate)
CW8-6		TRUCK CROSSING
W8-6		TRUCK CROSSING
W11-10		Truck Crossing (Symbol)
R4-6		TRUCK LANE 500 FEET
W7-1A	None	Truck On Hill % Slope (Symbol)
CW7-1		Truck on Hill (Symbol)
W7-1		Truck on Hill (Symbol)
R14-1		TRUCK ROUTE
R14-1A		TRUCK ROUTE (Arrow)
M4-4, 5, 6		TRUCK, TO, END plates
R2-2	None	TRUCKS 40
R13-100	None	TRUCKS OVER 16,000 GVWR STOP AT SCALES WHEN OPEN
W7-2B		TRUCKS USE LOWER GEAR
R4-5		TRUCKS USE RIGHT LANE
CD-100	AK-CD-1A	TSUNAMI EVACUATION ROUTE (Symbol)

Index (by Message)

Sign Number	Pre-2002 Sign Number (If Different)	Message
W1-100	W1-9R	Turn Arrow 180 Degree (Symbol)
W1-101	W1-10R	Turn Arrow 360 Degree (Symbol)
W1-1		Turn Arrow 90 Degree (Symbol)
CW22-2	None	TURN OFF 2-WAY RADIOS AND CELLULAR PHONES
W1-9	None	TURN with Advisory Speed (Arrow) (Symbol)
E2-12		Two Destinations NEXT RIGHT
E3-12		Two Destinations w/ Arrow
E4-12		Two Destinations w/ Arrow
E3-22		Two Destinations w/ Arrow and Route Marker
E4-22		Two Destinations w/ Arrow/Route Marker
R7-108		Two HR PARKING (Arrow) 8:30 am - 5:30 pm
CW1-4B	None	Two Lane Curves Ahead (Symbol)
D3-1C		Two Line Advance Street Name & Arrow
D1-2-1	D1-2	Two Line Destination & Arrow (destinations in same direction)
D2-2		Two Line Destination & Mileage
D1-2A-2	D1-2A	Two Line Destination, 2 Arrows & Mileage (destinations in different directions)
D1-2A-1	D1-2A	Two Line Destination, Arrow & Mileage (destinations in same direction)
D1-2-2	D1-2	Two Line Destination & 2 Arrows (destinations in different directions)
D3-2B	None	Two Line Overhead Street Name & Arrow
D7-2	D7-2A	Two Line Trapezoidal Destination & Arrow
W1-7		Two Way (large Arrow) (Symbol)
W6-3		Two Way Traffic (Arrows) (Symbol)
CW6-3		Two Way Traffic (Symbol)
R3-4B		U and 2 Left Turn (Symbol)
R3-4A		U and Left Turn (Symbol)
CW8-11		Uneven Lanes
M6-7		Up & Diagonal Right Arrows
R9-3B		USE CROSSWALK (Arrow)
R10-8		USE LANE WITH GREEN ARROW
CW21-7	None	UTILITY WORK _____
R7-8A	None	VAN ACCESSIBLE
R5-5		VEHICLES WITH LUGS PROHIBITED
OM-3		Vertical Panel Object Marker
R9-1		WALK ON LEFT FACING TRAFFIC
W16-102	None	WATCH FOR ICE

Index (by Message)

Sign Number	Pre-2002 Sign Number	Message
		(If Different)
D9-106	D9-13	WATER (Symbol & Text Plaque)
W16-103	None	WATER OVER ROADWAY
D12-100	D12-1	WEATHER INFO TUNE RADIO TO _____
D8-1		WEIGH STATION 1 MILE
R13-102	None	WEIGH STATION CLOSED/TRUCKS OVER 16,000 GVWR STOP AT SCALES
R13-101	None	WEIGH STATION CLOSED/TRUCKS STOP AT SCALES
D8-2	None	WEIGH STATION NEXT RIGHT
D8-100	D8-2	WEIGH STATION RIGHT LANE
D8-3		WEIGH STATION w/ diagonal right Arrow
R12-1		WEIGHT LIMIT 10 TONS
R12-4		WEIGHT LIMIT 2 TONS PER AXLE 10 TONS GROSS
R12-5		WEIGHT LIMIT 8T 12T 16T (Symbol)
R12-100	R12-5A	WEIGHT LIMIT TANDEM GROUP 16K LBS
R12-101	R12-5B	WEIGHT LIMITS AXLE 16K LBS TANDEM GROUP 28K LBS
W16-104	W16-7	WIND AREA
W1-5		Winding Road (Arrow) (Symbol)
R16-100	AK-CR16-100	WORK ZONE BEGIN DOUBLE TRAFFIC FINES
CW21-1A		Working Crew (Symbol)
R2-100	AK-CR2-100	WORKZONE SPEED LIMIT 45 DOUBLE FINES
R5-1A		WRONG WAY
R1-2		YIELD
CW3-2A		Yield Ahead (Symbol)
W3-2A	W3-2	Yield Ahead (Symbol)




Border and Wave: White
Background: Blue
Legend: Blue/White

Make the symbol proportional
to the one shown

Prior to the 2002 publication of this manual,
this sign was numbered AK-CD-1A.


Road Class	Dimensions (inches)			
	A	B	C	D
Conv & Min	24	0.63	2E Slant	3C



* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Bike	18	0.38	0.63	7.25	2.25	2.63	5.88	3.75	1.88	1.00	0.63	2.50	1.50
Minimum	30	0.50	0.75	12.00	3.75	4.38	9.69	6.25	3.00	1.88	1.00	4.06	1.88
Conventional	36	0.63	0.88	14.38	4.50	5.25	11.63	7.50	3.63	2.25	1.25	4.88	2.25
Expwy/Fwy	48	0.75	1.25	19.19	6.00	7.00	15.50	10.00	4.88	3.00	1.63	6.50	3.00



* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
Bike	18	0.38	0.63	5.38	5.50	6	4.75	3.38	1.75	1.25	2.00	2.63	6.25	1.50
Minimum	30	0.50	0.75	8.88	9.06	10	7.81	5.63	2.94	2.19	3.44	4.38	10.31	1.88
Conventional	36	0.63	0.88	10.88	10.88	12	9.38	6.75	3.50	2.63	4.25	5.25	12.38	2.25
Expwy/Fwy	48	0.75	1.25	14.81	14.25	16	12.50	9.00	4.69	3.50	5.50	7.00	16.50	3.00



*See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
Minimum	30	0.50	0.75	14.50	3.50	4.38	1.00	3.00	3.75	10.38	1.38	1.88
Conventional	36	0.63	0.88	17.44	4.22	5.25	1.25	3.63	4.50	12.47	1.66	2.25
Expwy/Fwy	48	0.75	1.25	23.19	5.63	7.00	1.63	4.88	6.00	16.63	2.19	3.00



*See Appendix B-7 for
Standard Arrow details.

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
Minimum	30	0.50	0.75	3.94	1.88	6.25	0.38	4.38	14.06	10.94	6.56	4.38	1.81	3.28	1.88
Conventional	36	0.63	0.88	4.72	2.25	7.50	0.47	5.25	16.88	12.38	7.88	5.25	1.69	3.94	2.25
Expwy/Fwy	48	0.75	1.25	6.31	3.00	10.00	0.63	7.00	22.50	16.50	10.50	7.00	2.25	5.25	3.00



*Make arrows proportional to arrow shown in CW1-4 and reduce them to 57% its size.

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)			
	A	B	C	D
Minimum	30	0.50	0.75	1.88
Conventional	36	0.63	0.88	2.25
Expwy/Fwy	48	0.75	1.25	3.00



*Make arrows proportional to arrow shown in CW1-4 and reduce them to 53% of its size.

Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)			
	A	B	C	D
Minimum	30	0.50	0.75	1.88
Conventional	36	0.63	0.88	2.25
Expwy/Fwy	48	0.75	1.25	3.00


**W1-6R**

CW1-6R is shown.
Reverse it for CW1-6L.

* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Bike	24	12	0.38	0.63	9.63	3.25	1.50
Minimum	36	18	0.38	0.63	14.63	5.00	1.50
Conventional	48	24	0.50	0.75	19.50	6.50	1.88
Expwy/Fwy	60	30	0.63	0.88	24.38	8.00	2.25




CW1-8R is shown.
Reverse it for CW1-8L.

Border and Legend: Black
Background: Orange

* Make Symbol proportional to graphic shown.


Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Bike	12	18	6	9	0.50	1.50
Minimum	18	24	9	12	0.75	1.50
Conventional	24	30	12	15	0.88	1.50
Expwy	30	36	15	18	1.00	1.88
Freeway	36	48	18	24	1.13	2.25



Border and Legend: Black
 Background: Orange
 Symbol: White Border on Red Background

* Make Symbol proportional to graphic shown.


Road Class	Dimensions (inches)											
	A	B	C	D	E	F	H	J	L	M	N	
Minimum	30	0.50	0.75	7.5	3.75	5	0.31	15.75	2.88	0.50	1.88	
Standard	36	0.63	0.88	9.0	4.50	6	0.38	19.00	3.50	0.63	2.25	
Expwy/Fwy	48	0.75	1.25	12.0	6.00	8	0.50	25.13	4.50	0.75	3.00	



Border and Legend: Black
 Background: Orange
 Symbol: Red Border on White Background

* Make Symbol proportional to graphic shown.


Road Class	Dimensions (inches)														
	A	B	C	D	E	F	H	J	K	L	M	N	P	Q	R
Minimum	30	0.50	0.75	7.5	3.75	5	0.31	25	6.25	3.00	3.38	0.50	1.25	0.63	1.88
Conventional	36	0.63	0.88	9.0	4.50	6	0.38	28	7.50	3.38	3.75	0.63	1.38	0.75	2.25
Expwy/Fwy	48	0.75	1.25	12.0	6.00	8	0.50	38	10.00	4.50	5.00	0.75	1.88	1.00	3.00



Prior to 2002 publication of this manual, this sign was numbered CW3-3B.

* Make Symbol proportional to graphic shown.


Road Class	Dimensions (inches)							
	A	B	C	D	E	F	G	H
Bike	18	0.38	0.63	3.00	8.00	2.25	5.00	1.50
Minimum	30	0.50	0.75	5.00	13.75	3.75	8.75	1.88
Conventional	36	0.63	0.88	5.75	15.75	4.25	10.00	2.25
Expwy/Fwy	48	0.75	1.25	7.50	20.00	5.00	12.50	3.00



Border and Legend: Black
Background: Orange

This sign shall be used with
CW3-3 Signal Ahead.

Road Class	Dimensions (inches)											
	A	B	C	D	E	F	G	H	J	K	R	
Conventional	24	18	0.38	0.63	4	4D	2	9.38	5.06	5	1.50	




* See Appendix B-7 for
Standard Arrow Detail

CW4-1L

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	
Minimum	30	0.50	0.75	13.00	11.00	4.38	3.00	5.25	28.00	1.88	8.00	3.00	13.00	27.75	
Conventional	36	0.63	0.88	15.75	13.25	5.25	3.63	6.31	33.63	2.25	9.63	4.00	15.63	35.31	
Expwy/Fwy	48	0.75	1.25	20.50	17.50	7.00	4.75	8.38	45.00	3.00	12.81	5.25	20.75	44.38	



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)				
	A	B	C	D	E
Minimum	36	0.63	0.88	5C	2.25
Conventional	48	0.75	1.25	6C	3.00
Expwy/Fwy	60	1.00	1.50	8C	3.75


CW4-3



* See Appendix B-7 for
Standard Arrow Detail


Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)											
A	B	C	D	E	F	G	H	J	K	L	M	
Expwy/Fwy	48	0.75	1.25	24	17	10	2	4	3	5.5	15.75	3




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5D	3.0	1.75	1.88
Conventional	36	0.63	0.88	6D	3.5	2.00	2.25
Expwy/Fwy	48	0.75	1.25	8D	4.0	3.00	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5D	0.50	2.5	1.88
Conventional	36	0.63	0.88	6D	0.75	3.0	2.25
Expwy/Fwy	48	0.75	1.25	8C	2.00	3.3	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	5C	3.25	1.88
Conventional	36	0.63	0.88	6C	4.00	2.25
Expwy/Fwy	48	0.75	1.25	8C	5.00	3.00



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5D	3.00	1.75	1.88
Conventional	36	0.63	0.88	6D	3.50	2.00	2.50
Expwy/Fwy	48	0.75	1.25	8D	4.00	3.00	3.00




Border and Legend: Black
Background: Orange

* See Appendix B-7 for
Standard Arrow Detail

Road Class	Dimensions (inches)										
	A	B	C	D	E	F	G	H	J	K	L
Minimum	30	0.50	0.75	3.31	8.31	4.13	25.00	1.69	4.13	1.88	10
Conventional	36	0.63	0.88	4.00	10.00	5.00	30.00	2.00	5.00	2.25	12
Expwy/Fwy	48	0.75	1.25	5.25	13.13	6.56	39.31	2.63	6.56	3.00	16


M	N	P	Q	R	S
11.63	7.94	13.69	7.88	8.31	2.06
14.00	9.50	16.50	9.50	10.00	2.50
18.69	12.69	22.00	12.44	13.13	3.31



* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	A	B	C	D	E	F	G	H	J	K	L	Dimensions (inches)
Minimum	30	0.50	0.75	3.31	8.31	4.13	25.00	1.69	4.13	1.88	10	
Conventional	36	0.63	0.88	4.00	10.00	5.00	30.00	2.00	5.00	2.25	12	
Expwy/Fwy	48	0.75	1.25	5.25	13.13	6.56	39.31	2.63	6.56	3.00	16	
	M	N	O	P	Q	R	S					
	11.63	7.94	7.88	13.00	7.88	8.31	2.06					
	14.00	9.50	9.50	16.50	9.50	10.00	2.50					
	18.69	12.69	12.69	22.00	12.44	13.13	3.31					



* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)							
	A	B	C	D	E	F	G	H
Minimum	30	0.50	0.75	2.44	3.75	11.25	10.63	1.88
Conventional	36	0.63	0.88	2.94	4.50	13.50	12.75	2.25
Expwy/Fwy	48	0.75	1.25	3.88	6.00	18.00	17.00	3.00



* See Appendix B-7 for
Standard Arrow Detail

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	
Conventional	36	0.63	0.88	22	8	5.56	6	2.75	2.25	
Expwy/Fwy	48	0.75	1.25	30	11	7.13	8	3.50	3.00	



*Make symbol proportional
to the graphic shown.


Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	11.00	7.50	1.88
Conventional	36	0.63	0.88	13.25	9.00	2.25
Expwy/Fwy	48	0.75	1.25	17.50	12.00	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	8D	4	1.88
Conventional	36	0.63	0.88	10D	5	2.25
Expwy/Fwy	48	0.75	1.25	12D	6	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)				
	A	B	C	D	E
Minimum	30	6D	0.75	1.25	1.88
Conventional	36	8D	0.88	1.50	2.25
Expwy/Fwy	48	10D	1.25	2.00	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	8E	4	1.88
Conventional	36	0.63	0.88	10E	5	2.25
Expwy/Fwy	48	0.75	1.25	12E	6	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)				
	A	B	C	D	E
Minimum	30	0.50	0.75	7E	1.88
Conventional	36	0.63	0.88	8E	2.25
Expwy/Fwy	48	0.75	1.25	10E	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5C	3.0	0.75	1.88
Conventional	36	0.63	0.88	6C	3.5	1.00	2.25
Expwy/Fwy	48	0.75	1.25	8C	4.5	1.50	3.00



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5C	3.0	0.75	1.88
Conventional	36	0.63	0.88	6C	3.5	1.00	2.25
Expwy/Fwy	48	0.75	1.25	8C	5.0	1.25	3.00




*Make symbol proportional
to the graphic shown.

Border and Legend: Black
Background: Orange

Sign must be used with CW8-5P-
Slippery When Wet (Plate)


Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	8.00	11.00	12.50	1.88
Conventional	36	0.63	0.88	9.50	13.00	14.81	2.25
Expwy/Fwy	48	0.75	1.25	12.63	17.33	19.75	3.00



Border and Legend: Black
 Background: Orange


Plate shall only be used with
 CW8-5 - Slippery When Wet

Road Class	Dimensions (inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	R
Conventional	24	18	0.38	0.63	4	4C	3C	3	8.69	8.63	9.88	10	1.5




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	5C	3.0	1.88
Conventional	36	0.63	0.88	6C	3.5	2.25
Expwy/Fwy	48	0.75	1.25	8C	5.0	3.00



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)							
	A	B	C	D	E	F	G	H
Minimum	30	0.50	0.75	5D	3.44	2.81	0.63	1.88
Conventional	36	0.63	0.88	6D	4.13	3.38	0.75	2.25
Expwy/Fwy	48	0.75	1.25	8D	5.50	4.50	1.00	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)							
	A	B	C	D	E	F	G	H
Minimum	30	0.50	0.75	5D	4	0.88	3.13	1.88
Conventional	36	0.63	0.88	6D	5	1.00	4.00	2.25
Expwy/Fwy	48	0.75	1.25	8D	6	1.50	4.50	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	
Minimum	30	0.50	0.75	5D	0.88	3.13	13.47	8.62	1.88	
Conventional	36	0.63	0.88	6D	1.00	4.00	16.16	10.34	2.25	
Expwy/Fwy	48	0.75	1.25	8D	1.25	4.50	21.55	13.79	3.00	



Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5C	3.0	0.75	1.88
Conventional	36	0.63	0.88	6C	3.5	1.00	1.25
Expwy/Fwy	48	0.75	1.25	8C	5.0	1.25	3.00



Border and Legend: Black
Background: Orange


Prior to the 2002 publication of this manual, this sign was numbered CW8-10.

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	5C	3.0	0.75	1.88
Conventional	36	0.63	0.88	6C	3.5	1.00	1.25
Expwy/Fwy	48	0.75	1.25	8C	5.0	1.25	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Conv & Min	36	0.63	0.88	6D	4.5	1.5
Expwy/Fwy	48	0.75	1.25	7D	6.0	2.0




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	R
Minimum	30	0.50	0.75	4C	2.50	1.88
Conventional	36	0.63	0.88	5C	3.25	2.25
Expwy/Fwy	48	0.75	1.25	7C	4.50	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	36	0.63	0.88	6D	3.0	2.0	2.25
Conventional	48	0.75	1.25	8D	4.0	3.0	3.00
Exp/Fwy	60	1.00	1.50	10D	5.0	0.5	3.75



Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	
Minimum	36	0.63	0.88	4D	3.0	6D	2.25	6D	22.00	
Conventional	48	0.75	1.25	6D	4.0	8D	3.00	8D	29.50	
Expwy/Fwy	60	1.00	1.50	7D	5.0	10D	3.75	10D	36.75	



Border and Legend: Black
Background: Orange

* See Appendix B-7 for
Standard Arrow Detail


Road Class	Dimensions (inches)								
	A	B	C	D	E	F	G	H	J
Minimum	30	0.50	0.75	10	5.25	12.38	14.69	4.00	1.88
Conventional	36	0.63	0.88	12	6.13	14.63	17.50	4.75	2.25
Expwy/Fwy	48	0.75	1.25	16	8.40	19.80	25.50	5.50	3.00



Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)											
	A	B	C	D	E	F	G	H	J	K	L	
Minimum	30	0.50	0.75	5.75	6.63	3.75	0.75	2.50	1.69	1.88	1.56	
Conventional	36	0.63	0.88	6.88	8.00	4.50	1.00	3.00	2.00	2.25	1.88	
Expwy/Fwy	48	0.75	1.25	9.19	10.63	5.88	1.31	4.00	2.63	3.00	2.44	

M	N	P	Q	R	S
1.00	0.44	2.25	3.31	5	10D
1.25	0.50	2.75	4.00	6	12D
1.63	0.63	3.63	5.50	8	16D



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)							
	A	B	C	D	E	F	G	H
Minimum	18	0.38	0.63	2.5	8E	2.00	3E	1.5
Conventional	24	0.38	0.63	3.5	10E	2.75	4E	1.5
Expwy/Fwy	36	0.75	0.88	4.5	15E	3.50	6E	2.5



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	K
Minimum	40	30	0.50	0.75	7.25	4D	4C	1.75	1.88	2.5
Conventional	48	36	0.63	0.88	8.50	5D	5C	2.00	2.25	3.0
Oversized	64	48	0.75	1.25	12.00	6D	6C	3.00	3.00	4.0




*See Appendix C-17 for legend dimensions.

Border and Legend: Black
Background: Orange

Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-3F refers to "Road Closed Ahead"

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	36	0.63	0.88	5D	3.75	2.25
Conventional	48	0.75	1.25	7D	5.25	3.00
Expwy/Fwy	60	0.75	1.25	9D	6.25	4.00




*See Appendix C-17 for legend dimensions.

Border and Legend: Black
Background: Orange

Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-4F refers to "ONE LANE ROAD AHEAD"

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	36	0.63	0.88	5C	2.25	2.25
Conventional	48	0.75	1.25	7C	3.13	3.00
Expwy/Fwy	60	1.00	1.50	9C	4.50	3.75



*See Appendix C-17 for legend dimensions.

Border and Legend: Black
Background: Orange


Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-5F refers to "RIGHT LANE ROAD AHEAD"

LINE 1 ALTERNATIVES

LEFT LANE CENTER LANE

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	36	0.63	0.88	5C	2.75	2.25
Conventional	48	0.75	1.25	6C	3.38	3.00
Expwy/Fwy	60	1.00	1.50	8C	5.20	3.75




Border and Legend: Black
Background: Orange

*See Appendix C-17 for
legend dimensions.

Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-5AF refers to
"RIGHT TWO LANES CLOSED
AHEAD".


Road Class	Dimensions (inches)					
	A	B	C	D	E	R
Minimum	36	0.63	0.88	5C	2.8	2.25
Conventional	48	0.75	1.25	6C	3.0	3.00
Expwy/Fwy	60	1.00	1.50	7C	4.0	3.75



*Make symbol proportional
to the graphic shown.


Border and Legend: Black
Background: Orange

Class	A	B	C	D	E	F	G
Minimum	36	0.63	0.88	2.75	13.5	14.63	2.25
Conventional	48	0.75	1.25	3.75	18.0	19.50	3.00
Expwy/Fwy	60	1.00	1.50	4.75	22.0	24.50	3.75



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	36	0.63	0.88	6D	4.0	2.25
Conventional	48	0.75	1.25	8D	5.2	3.00
Expwy/Fwy	60	1.00	1.5	10D	6.6	3.75



*See Appendix C-17 for legend dimensions.


Border and Legend: Black
Background: Orange

Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-100F refers to "ROAD WORK AHEAD"

Prior to the 2002 publication of this manual, this sign was numbered CW21-4_.

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	36	0.63	0.88	5D	3.63	2.5	2.25
Conventional	48	0.75	1.25	7D	4.75	3.5	3.00
Expwy/Fwy	60	1.00	1.50	8D	5.50	4.0	3.75



*See Appendix C-17 for legend dimensions.


Border and Legend: Black
Background: Orange

Code	Variable Legend
A	500 FT
B	1000 FT
C	1 MILE
D	1/2 MILE
E	1500 FT
F	AHEAD

Example: CW20-101F refers to "DETOUR AHEAD"

Prior to the 2002 publication of this manual, this sign was numbered CW21-2_.


Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	36	0.63	0.88	6D	3.5	2.25	2.63
Conventional	48	0.75	1.25	8D	4.75	3.00	3.50
Expwy/Fwy	60	1.00	1.50	10D	6.00	4.00	4.42



*Make symbol proportional
to the graphic shown.

Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	1.88	14.00	10	1.88
Conventional	36	0.63	0.88	2.25	16.88	12	2.25
Expwy/Fwy	48	0.75	1.25	3.00	22.38	16	3.00



Border and Legend: Black
Background: Orange

ALTERNATE

Class	A	B	C	D	E	F
Minimum	30	0.50	0.75	6D	4	1.88
Conventional	36	0.63	0.88	7D	5.00	2.25
Expwy/Fwy	48	0.88	1.13	9D	7.00	3.00




*See Appendix C-17 for legend dimensions.

Border and Legend: Black
Background: Orange

	Code	Variable Legend
A		500 FT
B		1000 FT
C		1 MILE
D		1/2 MILE
E		1500 FT
F		AHEAD


Example: CW21-3F refers to "ROAD MACHINERY AHEAD"

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	30	0.50	0.75	4D	3.50	2.00	1.88
Conventional	36	0.63	0.88	5D	4.00	2.50	2.25
Expwy/Fwy	48	0.75	1.25	7D	5.00	3.50	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	5D	3.0	1.88
Conventional	36	0.63	0.88	6D	3.5	2.25
Expwy/Fwy	48	0.75	1.25	8D	4.5	3.00




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	5D	3.0	1.88
Conventional	36	0.63	0.88	6D	3.5	2.25
Expwy/Fwy	48	0.75	1.25	8D	4.5	3.00



Border and Legend: Black
Background: Orange


Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	30	0.50	0.75	5C	3.0	1.88
Conventional	36	0.63	0.88	5C	3.3	2.25
Expwy/Fwy	48	0.75	1.25	6C	4.0	3.00



Border and Legend: Black
Background: Orange


* Reduce spacing 40%

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	36	0.63	0.88	5C	3	2.25	1.0
Conventional	48	0.75	1.25	7C	4	3.00	1.5
Expwy/Fwy	60	1.00	1.50	8C	6	3.75	2.0




Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Conv & Min	42	36	0.63	0.88	4C	4	2



Border and Legend: Black
Background: Orange

Road Class	Dimensions (inches)						
	A	B	C	D	E	F	G
Minimum	36	30	0.50	0.75	4.38	5C	1.88
Conventional	42	36	0.63	0.88	4.50	7C	2.25



Border and Legend: Black
Background: Orange


* Reduce spacing 40%

Prior to the 2002 publication of this manual, this sign was numbered CW22-1.

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Minimum	36	0.63	0.88	5C	3	2.3
Conventional	48	0.75	1.25	7C	4	3.0
Expwy/Fwy	60	1.00	1.50	10C	6	3.8

**CW23-100
(Front)**


STOP-SLOW PADDLE *



Border and Legend: White
Background: Red

Prior to the 2002 publication of this manual, this sign was
numbered CW23-1A.


Road Class	Dimensions (inches)			
	A	B	C	D
Local Rds w Spd Limits <= 25MPH	18	0.38	6C	3
All Other Roads	24	0.63	8C	4



Legend: Black
Background: Orange
Area Outside Diamond: Black

Prior to the 2002 publication of this manual, this sign was numbered CW23-1B.


Road Class	Dimensions (inches)				
	A	B	C	D	E
Local Rds w Spd Limits <=25MPH	18	6	6B	9	3.0
All Other Roads	24	8	7B	12	3.5



Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details


Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	H
6 / 4.5	12	6	9.56	6±	3.00	6.0	0.63	2.60
8 / 6	24	8	12.75	8±	8.00	8.0	0.75	3.48
10.7 / 8	24	11	17.25	11±	6.65	10.7	1.25	4.65
13.3 / 10	36	13	20.25	13±	11.35	13.3	2.00	5.78
16 / 12	36	16	25.00	16±	10.00	16.0	2.00	6.96



Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details


Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	H
6 / 4.5	12	6	9.56	6±	3.00	6.0	0.63	2.60
8 / 6	24	8	12.75	8±	8.00	8.0	0.75	3.48
10.7 / 8	24	11	17.25	11±	6.65	10.7	1.25	4.65
13.3 / 10	36	13	20.25	13±	11.35	13.3	2.00	5.78
16 / 12	36	16	25.00	16±	10.00	16.0	2.00	6.96



Legend: White
Background: Green

* See Appendix B-7 for Standard
Arrow Detail

Letter Size (Inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	H	J
6.0 / 4.5	VAR	VAR	6	1.50	VAR	6	4	6	Min. 9
8.0 / 6.0	VAR	VAR	8	1.75	VAR	8	6	8	Min. 12




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-2.

Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	K
6 / 4.5	24	6	9.56	6±	3.0	6.0	2.60	0.75
8 / 6	36	8	12.75	8±	7.0	8.0	3.48	1.00
10.7 / 8	48	11	17.25	11±	9.0	10.7	4.65	2.00
13.3 / 10	54	13	20.25	13±	9.5	13.3	5.78	2.00
16 / 12	66	16	25.00	16±	12.0	16.0	6.96	3.00




Border and Legend: White
Background: Green

*See Appendix B-7 or Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-2.

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	H	G	K
6 / 4.5	24	6	9.56	6±	3.00	6.0	12	2.60	0.75
8 / 6	42	8	12.75	8±	6.25	8.0	21	3.48	1.00
10.7 / 8	54	11	17.25	11±	8.15	10.7	27	4.65	2.00
13.3 / 10	66	13	20.25	13±	9.85	13.3	33	5.78	2.00
16 / 12	78	16	25.00	16±	11.50	16.0	39	6.96	3.00




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-2A.

Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	K
6 / 4.5	24	6	9.56	6±	4.0	6.0	2.60	0.75
8 / 6	36	8	12.75	8±	7.0	8.0	3.48	1.00
10.7 / 8	48	11	17.25	11±	9.0	10.7	4.65	2.00
13.3 / 10	54	13	20.25	13±	9.5	13.3	5.78	2.00
16 / 12	66	16	25.00	16±	12.0	16.0	6.96	3.00




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-2A.

Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	K
6 / 4.5	24	6	9.56	6±	4.0	6.0	2.60	0.75
8 / 6	42	8	12.75	8±	7.0	8.0	3.48	1.00
10.7 / 8	54	11	17.25	11±	9.0	10.7	4.65	2.00
13.3 / 10	66	13	20.25	13±	9.5	13.3	5.78	2.00
16 / 12	78	16	25.00	16±	12.0	16.0	6.96	3.00




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-3.

Letter Size (inches)	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	K
6 / 4.5	36	6	9.56	6±	3.5	6.0	2	13.0	2.60	1.00
8 / 6	54	8	12.75	8±	6.0	8.0	6	20.0	3.48	1.25
10.7 / 8	72	11	17.25	11±	8.0	10.7	8	26.7	4.65	2.00
13.3 / 10	90	13	20.25	13±	10.0	13.3	10	33.3	5.78	3.00
16 / 12	108	16	25.00	16±	12.0	16.0	12	40.0	6.96	3.00



Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-3.

Letter Size (inches)	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	K
6 / 4.5	42	6	9.56	6±	4	6.0	4	14.0	2.60	1.00
8 / 6	48	8	12.75	8±	6	8.0	6	16.0	3.48	1.25
10.7 / 8	78	11	17.25	11±	8	10.7	8	26.7	4.65	2.00
13.3 / 10	102	13	20.25	13±	10	13.3	11	33.3	5.78	3.00
16 / 12	120	16	25.00	16±	12	12.0	12	40.0	6.96	3.00




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Prior to the 2002 publication of this manual,
this sign was numbered D1-3A.

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	H	K
6 / 4.5	36	6	9.56	6±	3.5	6.0	4	13.0	1.00
8 / 6	54	8	12.75	8±	6.0	8.0	6	20.0	1.25
10.7 / 8	72	11	17.25	11±	8.0	10.7	8	26.7	2.00
13.3 / 10	90	13	20.25	13±	10.0	13.3	10	33.3	3.00
16 / 12	108	16	25.00	16±	12.0	16.0	12	40.0	3.00




Border and Legend: White
Background: Green

See Appendix B-7 for Arrow Details


Prior to the 2002 publication of this manual,
this sign was numbered D1-3A.

Letter Size (inches)	Dimensions (inches)									
	A	B	C	D	E	F	G	H	J	K
6 / 4.5	42	6	9.56	6±	4	6.0	4	14.0	2.60	1.00
8 / 6	48	8	12.75	8±	6	8.0	6	16.0	3.48	1.25
10.7 / 8	78	11	17.25	11±	8	10.7	8	26.7	4.65	2.00
13.3 / 10	102	13	20.25	13±	10	13.3	11	33.3	5.78	3.00
16 / 12	120	16	25.00	16±	12	12.0	12	40.0	6.96	3.00




Border and Legend: White
Background: Green

Letter Size (inches)	Dimensions (inches)					
	A	B	D	E	F	K
6 / 4.5	12	6	6±	3.00	6.0	0.63
8 / 6	18	8	8±	5.00	8.0	0.75
10.7 / 8	24	11	11±	6.65	10.7	1.25
13.3 / 10	30	13	13±	8.35	13.3	2.00
16 / 12	36	16	16±	10.00	16.0	2.00




Border and Legend: White
Background: Green

Letter Size (inches)	Dimensions (inches)						
	A	B	D	E	F	G	K
6 / 4.5	24	6	6±	4.0	6.0	4.0	0.63
8 / 6	36	8	8±	7.0	8.0	6.0	0.75
10.7 / 8	48	11	11±	9.0	10.7	8.6	1.25
13.3 / 10	54	13	13±	9.5	13.3	8.4	2.00
16 / 12	66	16	16±	12.0	16.0	10.0	2.00



Border and Legend: White
Background: Green

Letter Size (inches)	Dimensions (inches)							
	A	B	C	D	E	F	G	K
6 / 4.5	36	6	Var	6±	4	6.0	5	1.00
8 / 6	48	8	Var	8±	5	8.0	7	1.25
10.7 / 8	66	11	Var	11±	7	10.7	10	2.00
13.3 / 10	78	13	Var	13±	9	13.3	10	2.00
16 / 12	96	16	Var	16±	11	16.0	13	3.00




Border and Legend: White
Background: Green

Print legend on both
sides of sign.

* Letters may be series B, C, or D.

Road Class	Dimensions (inches)					
	A	B	C	D	E	F
Local Rds w Spd Limits <= 25MPH	8	0.5	2	4*	3*	1.5
All Other Roads	12	0.5	3	6*	4*	1.5




Border and Legend: White
Background: Green

Print legend on both
sides of sign.

* Letters may be series B, C, or D.


Letter Size (Inches)	Dimensions							
	A	B	C	D	E	F	G	H
6/4	14	0.5	4*	2	6*	2.0	3*	1.5



Border and Legend: White
Background: Green

For Overhead Mounting Only


Letter Size (inches)	Dimensions (inches)					
	A	B	C	D	E	F
8 / 6	18	8	5.00	8.0E	2.25	0.50
10.7 / 8	30	11	9.65	10.7E	3.75	0.75
13.3 / 10	36	13	11.30	13.3E	4.50	1.50



Border and Legend: White
Background: Green

See Appendix B-7 for Arrow Details

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	H	J
6 / 4.5	24	0.75	3.00	6E	2.60	6±	2.63	9.56	1.5
8 / 6	42	1.00	6.25	8E	3.48	8±	6.25	12.75	2.5
10.7 / 8	54	1.25	8.15	10.7E	4.65	11±	7.50	17.25	3.5
13.3 / 10	66	1.50	9.85	13.3E	5.78	13±	9.10	20.25	4.0




Border and Legend: White
Background: Green

Print legend on both
sides of sign.

* Letters may be series B, C, or D.

Road Class	Dimensions (inches)											
	A	B	C	D	E	F	G	H	J	K	L	
Local Rds w Spd Limits <= 25MPH	8	0.5	1.5	2*	1	2	3	2	3*	4*	1.5	
All Other Roads	12	0.5	2.0	3*	2	3	4	3	4*	6*	1.5	




Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

D3-2R shown, reverse for D3-2L

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	K	L
6 / 4.5	12	6	9.56	6±	3.00	6.0	2.60	0.63	1.50
8 / 6	24	8	12.75	8±	8.00	8.0	3.48	0.75	1.50
10.7 / 8	24	11	17.25	11±	6.65	10.7	4.65	1.25	1.88
13.3 / 10	36	13	20.25	13±	11.35	13.3	5.78	2.00	2.25
16 / 12	36	16	25.00	16±	10.00	16.0	6.96	2.00	2.63




Border and Legend: White
Background: Green

For Overhead Mounting Only

* See Appendix B-7 for Arrow Details

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	H	J
8 / 6	30	1	3.5	8E	3.48	8±	3.0	12.75	2.5



Border and Legend: White
Background: Green

*See Appendix B-7 for Arrow Details

Letter Size (inches)	Dimensions (inches)								
	A	B	C	D	E	F	G	K	L
6 / 4.5	12	6	9.56	6±	3.00	6.0	2.60	0.63	1.50
8 / 6	24	8	12.75	8±	8.00	8.0	3.48	0.75	1.50
10.7 / 8	24	11	17.25	11±	6.65	10.7	4.65	1.25	1.50
13.3 / 10	36	13	20.25	13±	11.35	13.3	5.78	2.00	2.25
16 / 12	36	16	25.00	16±	10.00	16.0	6.96	2.00	2.25